



Technical Report

Applicant : Escape bvba

Contacts : Abby Miao

Manufacture : Escape bvba

Type of equipment : Bluetooth Speaker

Model/type : Escape P 9

Test Specifications : IEC 60529:2001

Documentation submitted : N/A

Issued by : TÜV SÜD Certification and Testing (China) Co., Ltd.

Start Date : 2019-02-13

Sample size : 1 Pc for each model

Purpose of examination : IP X4 test

Results : Pass








Technical Report

Description of the equipment:


Rated voltage : 100-240V~
Rated power : 100W
Construction : N/A
Protection class : Class I

2. Rating label:

MODEL: Escape P9 100-240~ 50/60HZ 100W	FCC ID: 2AOLA-P9 IC: 23470-P9 CAN ICES-3 (B)/NMB-3(B)
Full-Range: 8Ω, Woofer: 4Ω	MADE IN CHINA Manufacturer: Escape

    **CAUTION**
RISK OF ELECTRIC SHOCK
DO NOT OPEN 

WARNING : SHOCK HAZARD - DO NOT OPEN
ATTENTION : RISQUE DE CHOC ELECTRIQUE-NE PAS OUVRIR

 C US

This device complies with Part 15 of the FCC Rules. Its operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

3. Deviations:

N/A



Technical Report

4. Remarks:

Overall tests results: please see Table 1.

Table 1 Safety Aspects

Standards : IEC 60529:2001

Selected sub-clauses from	Checked points	Requirement	Pass / Fail/Not application	Remark
Clause 14	IP X4	Enclosure in 0,07 l/min \pm 5 % per hole, multiplied by number of holes 10 l/min \pm 5 % Duration of test:10 min 1 min/m ² at least 5 min Use the spray nozzle	Pass	1) No water trace on insulation 2) No insulation Break down

Performed By : *Dong SHAO* _____

Reviewed and Approved By : *Yang YANG* _____

Date of issue : 2019-02-13

Technical Report

Attachment

photo	photo
